

Congratulations, you're certified!

You are now guaranteed compatibility with
the GreenFlux eMobility platform.

greenflux



Model:

Smart DC Charger C6EU

Firmware version:

V3.1.2_C6_OCPCP_STA_260128

AC/DC:

DC

Certification date:

29-03-2023

Certification level:

- OCPP 1.6 JSON
- OCPP 2.0.1 Core
- Smart Charging 1.6 JSON
- Eichrecht



for Charge Stations connected to GreenFlux Platform using OCPP1.6 via JSON

Manufacturer Name: XCHARGE

Hardware model: C6EU

Firmware V2.1.12_C6EU_OCPP_STA_230328

Tester: Bob Elders - Retest done by Mohanad Elsayy

Date: 3/29/2023

Step	OCPP Profile	Action	Pass	Remarks
Step	OCPP Profile	Action	Pass	Remarks
1	Core	Boot charging station	✓	
2	Core	Change availability	✓	
3	Core	Get Configuration	✓	
4	Core	Change Configuration	✓	
5	Core	Heartbeat	✓	
6	Core	Charging Session - Local - Plugin first	✓	
7	Core	Charging Session - Local - Identification first - Connection Loss	✓	
8	Core	Charging session - Local - Identification first - Connection TimeOut	✓	
9	Core	Hard Reset - During Charging session	✓	
10	Core	Hard Reset - No charging session	✓	
11	Core	Soft Reset - During Charging session	✓	
12	Core	Soft Reset - No charging session	✓	
13	Core	Charging session - Local - Unauthorized	✓	
14	Core	Charging session - Remote Start and Stop Transaction - Cable first	✓	
15	Core	Charging session - Remote Start Transaction - Request first - Unlock Connector	N/A	Fixed Cable
16	Core	Hardware related notification / error condition	✓	
17	Firmware Management	Remote Firmware update - Download failed	✓	
18	Firmware Management	Remote Firmware update - Installation failed	✓	

Step	Ocpp Profile	Action	Pass	Remarks
19	Firmware Management	Remote Firmware update - Download & install	✓	
20	Firmware Management	Remote get diagnostics report	✓	<ul style="list-style-type: none"> • Both car and charger logs are collected. This leads to the process taking 15 min. • Manufacturer can configure it to only send charger logs which takes 10-20 seconds.
21	Firmware Management	Remote get diagnostics - fail	✓	
22	Core	Clear cache	✓	
23	Remote Trigger	TriggerMessage	✓	

for Charge Stations connected to GreenFlux Platform using OCPP1.6 via JSON

Manufacturer Name: Xcharge

Hardware model: C6EU

Firmware V3.1.2_C6_OCPP_STA_260128

Date: 5/7/2026

1	Smart Charging	Send 2 Charging Profiles & Validate Metervalues	Y
1	Smart Charging	Send 2 Charging Profiles & Validate Metervalues	✓
2	Smart Charging	Verify TxDefaultProfiles	✓
3	Smart Charging	Clear ChargingProfiles	✓